

Dialogannahme

VOLKSWAGEN

Version 2021.08.17 – Prices on request

Wheel aligner VAS 6767A | for VOLKSWAGEN

The new wheel alignment bay - Complete, efficient, professional | Cable version | with cabinet, HighPerformance PC, 27" monitor and printer | incl. lift adapter, 2 cable sets, turntable Precision and OEM magnetic clamps

Article number: 1 690 700 013



High measuring accuracy and precision for top results

- The combination of the Beissbarth stereo camera measurement system with active reference system and sophisticated software ensures the accurate determination of measured values: Toe and camber accurate to +/- 2 angular minutes.

Perfectly integrated into ADAS calibration and head light testing:

- The space in front of the lift can be used for the ADAS calibration jig and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, clamps or targets required for ADAS calibration

Highly repeatable initial measurement

- Quick and easy live ride height measurement (optional) with markers attached by adhesive pads
- Rolling or driving run-out compensation at ground level
- No loading of vehicle required
- Three selectable measurement routines: program-driven, quick measurement, choice-free access to single-value check

Sophisticated software for maximum measurement and adjustment efficiency

- Real-time display of measured values combined with vehicle specs
- Visually animated adjustment instructions for third-party vehicles
- Several languages as standard for staff from all over the world
- ASA network ready

- Sensor heads can be easily detached from the lift when not in use to clear up space
- Beissbarth DualView camera system for ultimate control, especially of complex chassis
- No fixed position for targets on the vehicle eliminates room for error
- Plug & play: no calibration required for installation or for exchanging targets
- Extensive Beissbarth vehicle database including alignment helps directly from the OEMs
- Quality Made in Germany

- Cable version

Scope of delivery:

- Sensor head with DualView camera technology
- Target boards
- ADAS calibration boards
- Vehicle specs database with additional VW Professional data
- Cabinet
- HighPerformance PC
- 27" Monitor
- Printer
- OEM magnetic clamps with long magnets
- Wall storage kit for clamps and targets
- Lift adapter
- Precision Turntable
- Remote control
- Brake pedal depressor and steering wheel holder
- Cable set 12 m/15 m for installation on the lift

Wheel aligner VAS 6767A | for VOLKSWAGEN | CHINA

The new wheel alignment bay - Complete, efficient, professional | Cable version | with cabinet, HighPerformance PC, 27" monitor and printer | incl. lift adapter, 2 cable sets, turntable and OEM magnetic clamps

Article number: 1 690 700 023



High measuring accuracy and precision for top results

- The combination of the Beissbarth stereo camera measurement system with active reference system and sophisticated software ensures the accurate determination of measured values: Toe and camber accurate to +/- 2 angular minutes.

Perfectly integrated into ADAS calibration and head light testing:

- The space in front of the lift can be used for the ADAS calibration jig and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, clamps or targets required for ADAS calibration

Highly repeatable initial measurement

- Quick and easy live ride height measurement (optional) with markers attached by adhesive pads
- Rolling or driving run-out compensation at ground level
- No loading of vehicle required
- Three selectable measurement routines: program-driven, quick measurement, choice-free access to single-value check

Sophisticated software for maximum measurement and adjustment efficiency

- Real-time display of measured values combined with vehicle specs
- Visually animated adjustment instructions for third-party vehicles
- Several languages as standard for staff from all over the world
- ASA network ready

- Sensor heads can be easily detached from the lift when not in use to clear up space
- Beissbarth DualView camera system for ultimate control, especially of complex chassis
- No fixed position for targets on the vehicle eliminates room for error
- Plug & play: no calibration required for installation or for exchanging targets
- Extensive Beissbarth vehicle database including alignment helps directly from the OEMs
- Quality Made in Germany
- Cable version

Scope of delivery:

- Sensor head with DualView camera technology
- Target boards
- Vehicle specs database with additional VW Professional data
- Cabinet
- HighPerformance PC
- 27" Monitor
- Printer
- OEM magnetic clamps with long magnets
- Wall storage kit for clamps and targets
- Lift adapter
- Standard Turntable
- Brake pedal depressor and steering wheel holder
- Cable set 12 m/15 m for installation on the lift

Wheel aligner VAS 6767A | for VOLKSWAGEN | JAPAN

The new wheel alignment bay - Complete, efficient, professional | Cable version | with cabinet | incl. lift adapter, 2 cable sets, and OEM magnetic clamps

Article number: 1 690 700 027



High measuring accuracy and precision for top results

- The combination of the Beissbarth stereo camera measurement system with active reference system and sophisticated software ensures the accurate determination of measured values: Toe and camber accurate to +/- 2 angular minutes.

Perfectly integrated into ADAS calibration and head light testing:

- The space in front of the lift can be used for the ADAS calibration jig and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, clamps or targets required for ADAS calibration

Highly repeatable initial measurement

- Quick and easy live ride height measurement (optional) with markers attached by adhesive pads
- Rolling or driving run-out compensation at ground level
- No loading of vehicle required
- Three selectable measurement routines: program-driven, quick measurement, choice-free access to single-value check

Sophisticated software for maximum measurement and adjustment efficiency

- Real-time display of measured values combined with vehicle specs
- Visually animated adjustment instructions for third-party vehicles
- Several languages as standard for staff from all over the world
- ASA network ready
- Sensor heads can be easily detached from the lift when not in

use to clear up space

- Beissbarth DualView camera system for ultimate control, especially of complex chassis
- No fixed position for targets on the vehicle eliminates room for error
- Plug & play: no calibration required for installation or for exchanging targets
- Extensive Beissbarth vehicle database including alignment helps directly from the OEMs
- Quality Made in Germany
- Cable version

Scope of delivery:

- Sensor head with DualView camera technology
- Target boards
- ADAS calibration boards
- Vehicle specs database with additional VW Professional data
- Cabinet
- OEM magnetic clamps with long magnets
- Wall storage kit for clamps and targets
- Lift adapter
- Brake pedal depressor and steering wheel holder
- Cable set 12 m/15 m for installation on the lift

Wheel aligner VAS 6767A | for VOLKSWAGEN | CUSTOMIZED

The new wheel alignment bay - Complete, efficient, professional | Cable version | with cabinet, HighPerformance PC, 27" monitor and printer | incl. lift adapter and OEM magnetic clamps | without turntables and cable sets

Article number: 1 690 700 120



High measuring accuracy and precision for top results

- The combination of the Beissbarth stereo camera measurement system with active reference system and sophisticated software ensures the accurate determination of measured values: Toe and camber accurate to +/- 2 angular minutes.

Perfectly integrated into ADAS calibration and head light testing:

- The space in front of the lift can be used for the ADAS calibration jig and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, clamps or targets required for ADAS calibration

Highly repeatable initial measurement

- Quick and easy live ride height measurement (optional) with markers attached by adhesive pads
- Rolling or driving run-out compensation at ground level
- No loading of vehicle required
- Three selectable measurement routines: program-driven, quick measurement, choice-free access to single-value check

Sophisticated software for maximum measurement and adjustment efficiency

- Real-time display of measured values combined with vehicle specs
- Visually animated adjustment instructions for third-party vehicles
- Several languages as standard for staff from all over the world
- ASA network ready

- Sensor heads can be easily detached from the lift when not in use to clear up space
- Beissbarth DualView camera system for ultimate control, especially of complex chassis
- No fixed position for targets on the vehicle eliminates room for error
- Plug & play: no calibration required for installation or for exchanging targets
- Extensive Beissbarth vehicle database including alignment helps directly from the OEMs
- Quality Made in Germany

- Cable version

Scope of delivery:

- Sensor head with DualView camera technology
- Target boards
- ADAS calibration boards
- Vehicle specs database with additional VW Professional data
- Cabinet
- HighPerformance PC
- 27" Monitor
- Printer
- OEM magnetic clamps with long magnets
- Wall storage kit for clamps and targets
- Lift adapter
- Remote control
- Brake pedal depressor and steering wheel holder

The following parts are not included in the scope of delivery and need to be ordered separately depending on the lift solution inside the workshop:

- Precision Turntable
- Cable set for installation on the lift

Upgrade Kit | for VAS 6767

Beissbarth trolley with 27" monitor and pre-configured high performance PC with Windows 10 including current software and database update. Requires QY serial number for order!

Article number: 1 690 701 707



- New 6767A trolley
- Beissbarth pre-configured high performance PC with Windows 10
- Including current software and database update
- Requires VAS 6767 (QY) serial number for order
- Including magnetic clamp for 4/5/ and 6 hole rims with long 75mm magnets for new Crafter models and softline rims;

Upgrade Kit | for VAS 6767

Windows 10 PC with software and database. For QY serial numbers only!

Article number: 1 690 701 709




- Beissbarth preconfigured high performance PC with Windows 10
- Including current software and database update
- Requires QY serial number for order

Wheel aligner V.A.G 1813A | for VOLKSWAGEN

For professional measurement according to Volkswagen provisions | with CCD-Technology and wireless data transfer | with cabinet, HighPerformance PC, 27" monitor and printer | incl. emergency cable set for sensor heads, turntable Precision and quick clamps

Article number: 1 690 570 015



Perfectly integrated into ADAS calibration and head light testing:

- The space in front of the lift can be used for ADAS calibration boards and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, or clamps required for ADAS calibration

Best in class: +/- 2 minute accuracy

- 360° measurement field for permanent self-check and adjustment of system to movement and vibrations
- No calibration to a specific lift allows a measurement on any wheel alignment bay
- Wireless data transfer and integrated battery enable full mobility and allow the use of Windows tablets or laptops
- Intelligent and space-saving charging solution that can be mounted on any wall
- Quality made in Germany

Sophisticated software for maximum measurement and adjustment efficiency

- Real-time display of measured values combined with vehicle specs
- Visually animated adjustment instructions for third-party vehicles
- Several languages as standard for staff from all over the world
- Toe indicator in full-lock state as well as track- and camber display in raised state for comfortable toe rod adjustment
- ASA network ready
- Data transmission: 433 Mhz

Scope of delivery:

- Sensor head with encoder and battery power (433 Mhz frequency)
- Software with quick check for direct reception and ADAS calibration option
- Vehicle specs database with additional VW Professional data
- Cabinet with HighPerformance PC
- 27" monitor
- Printer
- 3-point quick clamps 13"-23"
- Precision turntables with electronics for maximum steer
- Remote control
- Brake pedal depressor and steering wheel holder
- Emergency cable set for sensor heads
- Calibration tool

Wheel aligner V.A.G 1813A | for VOLKSWAGEN | CUSTOMIZED

For professional measurement according to Volkswagen provisions | with CCD-Technology and wireless data transfer | with cabinet, HighPerformance PC, 27" monitor and printer | incl. emergency cable set for sensor heads and quick clamps | without precision turntables

Article number: 1 690 570 031



Perfectly integrated into ADAS calibration and head light testing:

- The space in front of the lift can be used for ADAS calibration boards and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, or clamps required for ADAS calibration

Best in class: +/- 2 minute accuracy

- 360° measurement field for permanent self-check and adjustment of system to movement and vibrations
- No calibration to a specific lift allows a measurement on any wheel alignment bay
- Wireless data transfer and integrated battery enable full mobility and allow the use of Windows tablets or laptops
- Intelligent and space-saving charging solution that can be mounted on any wall
- Quality made in Germany

Sophisticated software for maximum measurement and adjustment efficiency


- Real-time display of measured values combined with vehicle specs
- Visually animated adjustment instructions for third-party vehicles
- Several languages as standard for staff from all over the world
- Toe indicator in full-lock state as well as track- and camber display in raised state for comfortable toe rod adjustment
- ASA network ready
- Data transmission: 433 Mhz

Scope of delivery:

- Sensor head with encoder and battery power (433 Mhz frequency)
- Software with quick check for direct reception and ADAS calibration option
- Vehicle specs database with additional VW Professional data
- Cabinet with HighPerformance PC
- 27" monitor
- Printer
- 3-point quick clamps 13"-23"
- Remote control
- Brake pedal depressor and steering wheel holder
- Emergency cable set for sensor heads
- Calibration tool

The following component is not included in this scope of delivery and needs to be ordered separately depending on the lifting solution inside the workshop:

- Precision turntables with electronics for maximum steer



Upgrade Kit | for V.A.G 1813F

Beissbarth trolley with 27" monitor and pre-installed high performance PC with Windows 10 including current software and database update. Requires V.A.G 1813F serial number for order!

Article number: 1 690 571 104



- Trolley V.A.G 1813A with 27" monitor
- Beissbarth pre-installed high performance PC with Windows 10
- Including most current software and vehicle database
- Requires V.A.G 1813F serial number for order!

Upgrade Kit | for V.A.G 1813F

Beissbarth pre-configured high performance PC with Windows 10 including current software and database update. Requires V.A.G 1813F serial number for order!

Article number: 1 690 571 108



- Beissbarth pre-configured high performance PC with Windows 10
- Including current software and database update
- Requires V.A.G 1813F serial number for order

Wheel alignment



Wheel aligner VAS 6767A | for VOLKSWAGEN

Article number: 1 690 700 013



Wheel aligner VAS 6767A | for VOLKSWAGEN | CHINA

Article number: 1 690 700 023



Wheel aligner VAS 6767A | for VOLKSWAGEN | JAPAN

Article number: 1 690 700 027



Wheel aligner VAS 6767A | for VOLKSWAGEN | CUSTOMIZED

Article number: 1 690 700 120



Upgrade Kit | for VAS 6767

Article number: 1 690 701 707



Upgrade Kit | for VAS 6767

Article number: 1 690 701 709



Wheel aligner V.A.G 1813A | for VOLKSWAGEN

Article number: 1 690 570 015



Wheel aligner V.A.G 1813A | for VOLKSWAGEN | CUSTOMIZED

Article number: 1 690 570 031



Upgrade Kit | for V.A.G 1813F

Article number: 1 690 571 104



Upgrade Kit | for V.A.G 1813F

Article number: 1 690 571 108



RaceScales | VAS 701009 | Precision turntable with load cells | 433Mhz

Article number: 1 690 400 100

IMPORTANT NOTES

VERSION 2021.08.17 – PRICES ON REQUEST

Beissbarth GmbH

Hanauer Straße 101
80993 Munich, Germany
sales@beissbarth.com
www.beissbarth.com

Telefon: +49-(0)89-14901-0

Telefax: +49-(0)89-14901-246

Order number 1 693 602 008 Print norm BB XXX / XX.XX.2020 DE · Subject to technical and program changes, errors excepted.

